Sr.DEE/M/BZA acting for and on behalf of The President of India invites E-Tenders against Tender No **B-E-29-I-EGS-32-26-27** Closing Date/Time 27/11/2026 15:00 Hrs. Bidders will be able to submit their original/revised bids upto closing date and time only. Manual offers are not allowed against this tender, and any such manual offer received shall be ignored.

1. NIT HEADER

Name of Work	Vijayawada Division - 1) GDR-BZA section: Provision of General waiting Hall building on PF1 and utility cable ducts on PF 2&3 and 4&5 at TEL station in SSE/ Works/TEL sections in ADEN/ BPP sub-division under the jurisdiction of DEN/ /central /BZA; 2)BZA-VSKP section:-SW-I Construction of Electrical office, parcel office, Health Unit, RPF barracks, SSE/ Works office and Renovation of Existing station Building rooms at Eluru station in SSE/Works/ EE section in ADEN/ EE sub division. SW-II Construction of 12 m wide FOB at Eluru station; 3) BZA-GDR section:- Provision of Divyangjan Toilets on PF 1, 2&3, 4&5 and improvement to existing amenities at CLX station in SSE/ Works/BPP section in ADEN/ BPP sub -division under the jurisdiction of DEN/ Central/BZA; 4) BZA- GDR section:- Provision of Divyangjan Toilets and General waiting Hall building on PF 2&3 and improvement to existing amenities at BPP station in SSE/ Works/ BPP section in ADEN/ BPP sub -division under the jurisdiction of DEN/Central/BZA - Electrical arrangements.		
Bidding type	Normal Tender		
Tender Type	Open	**Bidding System**	Single Packet System
Tender Closing Date Time	27/11/2026 15:00	**Date Time Of Uploading Tender**	05/11/2026 12:42
Pre-Bid Conference Required	No	**Pre-Bid Conference Date Time**	Not Applicable
Advertised Value	28307147.00	**Tendering Section**	M/TENDER
Bidding Style	Single Rate for Tender	**Bidding Unit**	Above/Below/Par
Earnest Money (Rs.)	566200.00	**Validity of Offer (Days)**	60
Tender Doc. Cost (Rs.)	0.00	**Period of Completion**	6 Months
Contract Type	Works - General	**Contract Category**	Expenditure
Bidding Start Date	13/11/2026		
Are JV allowed to bid	No	**Number of JV Member Allowed**	0
Are Consortium allowed to bid	No	**Number of Consortium Member Allowed**	0
Ranking Order For Bids	Lowest to Highest	**Expenditure Type**	Capital (Works)

2. SCHEDULE

S.No.	Item Code	Item Qty	Qty Unit	Unit Rate	Basic Value	Escl.(%)	Amount	Bidding Unit
Schedule () A-Vijayawada Division - GDR-BZA section;1) Provision of General waiting Hall building on PF1 and utility cable ducts on PF 2&3 and 4&5 at TEL station in SSE/ Works/TEL sections in ADEN/ BPP sub-division under the jurisdiction of DEN/ /central /BZA 2)BZA-VSKP section:-SW-I Construction of Electrical office, parcel office, Health Unit, RPF barracks, SSE/ Works office and Renovation of Existing station Building rooms at Eluru station in SSE/ Works/EE section in ADEN/ EE sub division. SW-II Construction of 12 m wide FOB at Eluru station.3) BZA-GDR section;- Provision of Divyangjan Toilets on PF 1, 2&3, 4&5 and improvement to existing amenities at CLX station in SSE/ Works/BPP section in ADEN/ BPP sub -division under the jurisdiction of DEN/ Central/BZA 4) BZA- GDR section:- Provision of Divyangjan Toilets and General waiting Hall building on PF 2&3 and improvement to existing amenities at BPP station in SSE/ Works/ BPP section in ADEN/ BPP sub -division under the jurisdiction of DEN/Central/BZA						28307147.00	
1	Please see Item Breakup for details.				5285633.00	AT Par	5285633.00	
	Description:- Supply of following size of LTUG cable, XLPE insulated, Cores laid up, extruded PVC type ST-2 inner sheath, galvanised steel flat strip armoured & overall extruded FRLHS PVC type ST-2 outer sheathed cables with strained Aluminium conductor generally confirming to IS: 7098 (Part-I) 1988 or its latest							
	Please see Item Breakup for details.				601700.00	AT Par	601700.00	

2	**Description:-** Laying of LTUG cable LTUG cable, XLPE insulated, Cores laid up, extruded PVC type ST-2 inner sheath, galvanised steel flat strip armoured & overall extruded FRLHS PVC type ST-2 outer sheathed cables with strained Aluminium conductor generally confirming to IS: 7098 (Part-I) 1988 or its latest							
3	3	21000.00	RM	15.00	315000.00	AT Par	315000.00	
	Description:- Supply and laying of 8 SWG GI wire with 40GSM Zink coated, conforming to IS:280-2006 or latest, it is to be laid with UG cable for earth continuity.							
4	4	400.00	RM	325.00	130000.00	AT Par	130000.00	
	Description:- Supply and laying of 2 " dia (50 mm) B class GI pipe including all accessories							
5	5	50.00	Metre	755.00	37750.00	AT Par	37750.00	
	Description:- Supply and laying of 4" dia (100 mm) B class GI pipe including all accessoies etc							
6	Please see Item Breakup for details.				3980450.00	AT Par	3980450.00	
	Description:- Excavation of cable trench complete with the following and refilling as per the specification enclosed.							
7	7	200.00	RM	2032.00	406400.00	AT Par	406400.00	
	Description:- Track crossing by horizontal boring method as advised by the engineer at side. This incudes the supply and inserting (Using)of GI pipe (80 mm) confirming to IS:1239 heavy as class in the bore drilled with the coupler between two pipes. All the joints of casing pipes should be tight and leak proof > (per unit means Rmt)							
8	8	120.00	Numbers	243.00	29160.00	AT Par	29160.00	
	Description:- Supply and fixing of HT/LT cable roue markets indications in the cable route							
9	9	75.00	Numbers	1955.00	146625.00	AT Par	146625.00	
	Description:- Supply, fixing, and connecting of Cable Junction box for cable size 16/25sq.mm of size made up of thermo plastic, with IP 55/65 protection and metric knockouts incl. terminals and cable entry complete with all accessories as per specification enclosed.							
10	10	25.00	Numbers	5110.00	127750.00	AT Par	127750.00	
	Description:- Supply, fixing, and connecting of Cable Junction box for cable size 50/70sq.mm of size mm made up of thermo plastic, with IP 55/65 protection and metric knockouts incl. 4nos of Suitable copper Busbars and cable entry complete with all accessories as per specification enclosed.							
11	11	800.00	Numbers	858.00	686400.00	AT Par	686400.00	
	Description:- Supply, fixing , testing and connecting of surface mounted 4'-40 W LED light fitting battern type including power LEDs as per specification							
12	12	700.00	Numbers	2100.00	1470000.00	AT Par	1470000.00	
	Description:- Supply, fixing , Testing and connecting of 1x1 feet 24 watts square type LED light fittings consist of input voltage of 230 V AC supply frequency 50 HZ as per specification.							
13	Please see Item Breakup for details.				550600.00	AT Par	550600.00	
	Description:- Supply, fixing, testing and connecting of 36 to 40 W LED panel light fitting 2'x2" square type white with other connected accessories as specification							
14	14	1300.00	RM	414.00	538200.00	AT Par	538200.00	
	Description:- Supply and wiring of surface inside mains by 04 Nos of PVC insulated multi strand copper conductors with fire retardant (FRLS) of 6.0 sq, mm size along with earth continuity by PVC insulated multistrand copper conductor with fire retardant (FRLS) of 4.0 sq.mm with suitable PVC conduit as per specification enclosed Including PVC Pipe Cost)							
15	15	5000.00	RM	100.79	503950.00	AT Par	503950.00	
	Description:- Supply and laying of runs of 2 Nos6.0 sq.mm,1100 V PVC (FRLS) insulated flexible copper conductor wires and one run of 4 sq.mm PVC (FRLS) insulated flexible copper cable for earthing in existing PVC conduit pipe confirming to IS 694 (2010) with latest amendments(Including PVC Pipe Cost)							
16	16	7000.00	RM	89.45	626150.00	AT Par	626150.00	
	Description:- Supply and laying of runs of 2 Nos 4.0 sq.mm,1100 V PVC (FRLS) insulated flexible copper conductor wires and one run of 2.5 sq.mm PVC (FRLS) insulated flexible copper cable for earthing in existing PVC conduit pipe confirming to IS 694 (2010) with latest amendments (Including PVC Pipe Cost)							
17	17	9500.00	RM	78.11	742045.00	AT Par	742045.00	
	Description:- Supply and laying of runs of 2 Nos 2.5 sq.mm,1100 V PVC (FRLS) insulated flexible copper conductor wires and one run of 1.5 sq.mm (FRLS) insulated flexible copper cable for earthing in existing PVC conduit pipe confirming to IS 694 (2010) with latest amendments (t Including PVC Pipe Cost)							
18	18	800.00	RM	181.00	144800.00	AT Par	144800.00	
	Description:- Supply of 4sq.mm4core cord wire as per specification							
	19	60.00	Numbers	9000.00	540000.00	AT Par	540000.00	

19	**Description:-** Supply, fixing and connecting of cable junction box for cable size 120 sq.mm made up of thermo plastic with suitable size of copper bus bars 04 Nos (R,Y,B,N) with IP 55/65 protection and metric knockouts including terminals and cable entry complete with all accessories like cable glands as per specification							
20	20	2850.00	Point	322.08	917928.00	AT Par	917928.00	
	Description:- Provision of concealed wiring with three runs of 1.5 sq.mm 1100 volts and of FRLS PVC insulated copper wires ISI marked(Phase, neutral, and earth) (upto 10 meters length) with PVC conduit pipe with 6A flush modular type switch including 01 way switches wherever required, ceiling rose, bulb holder and modular type box and cover plate to MS switch control box including all labour charges (Inlcuding PVC conduit pipe cost)							
21	Please see Item Breakup for details.				236260.00	AT Par	236260.00	
	Description:- Supply and fixing of Ivory coloured Polycarbonate Modular plate with Polycarbonate surface box / Metal surface box / Metal flush box (for concealed)with all accessories complete, for the following as per specification							
22	Please see Item Breakup for details.				28820.00	AT Par	28820.00	
	Description:- Supply, fixing and connecting of modular switch & socket as per specification							
23	Please see Item Breakup for details.				468000.00	AT Par	468000.00	
	Description:- Provision of BLDC fans							
24	24	50.00	Numbers	367.00	18350.00	AT Par	18350.00	
	Description:- Supply, fiixng, testing and connecting of 10 KA 16/6A Modular SP MCB							
25	25	200.00	Numbers	4044.00	808800.00	AT Par	808800.00	
	Description:- Supply, fixing, testing and connecting of 40/50 LED low bay light including power LEDS complete with all accessories							
26	Please see Item Breakup for details.				668840.00	AT Par	668840.00	
	Description:- Supply, erection and commissioning of 06 mtrs long dip galvanized octagonal pole with 130 mm bottom A/F & 70 mm top A/F made up of 3mm thick HT sheet along with base plate of size 200x200x12 mm, M16x600 long 'J' type EN 8 grade foundation bolts., 1000 mm long single/double arm bracket (as per site requirement) with concrete foundation and plinth in hard soil including excavation of soil, tamping of concrete grouting with Bakelite sheet and MCB(for mounting inside the base compartment of pole) with all accessories.							
27	27	50.00	Set	5312.00	265600.00	AT Par	265600.00	
	Description:- Supply, fixing, testing and commissioning 90 watts AC LED street light fitting luminaries with glass IP 65 including with all accessories.							
28	28	66.00	Numbers	2629.00	173514.00	AT Par	173514.00	
	Description:- Supply,fixing and connecting of 12" sweep exhaust fans complete with all accessories asper specification							
29	29	300.00	Numbers	410.00	123000.00	AT Par	123000.00	
	Description:- Supply, fixing of 4'-20 W LED (indoor) tube light fittings surface mounted including power LEDs complete with all accessories							
30	30	2.00	Set	409496.00	818992.00	AT Par	818992.00	
	Description:- Design, fabrication, Transportation, supply, erection, testing and commissioning of LT cubical panel 3phase and neutral 415V , 4wire , free standing floor mounted LT panel made up of 14 SWG CRCA (Cold Rolled carbon annnealed) sheet after seven tank process and painting with EPOXY powder coating. The panel shall consist of suitable rating TPN (Triple pole neutral)500 Amp, copper Bus bar supported with DMC/AMC barrier and colour coded with heat shrinkable sleeves. The metering shall be provided as specified. The panel shall have short circuit withstanding capacity of minimum of 50 KA (RMS) power frequency test and consist of the switch gear as mentioned below. The panel shall be mounted on channels including supply and fixing as per specification. The complete work has to be carried out by the contractor including construction of Plinth, Stickering of feeders names After execution, all the feeder cable have to be connected to new panel with suitable cable glands as pert the requirement of engineering at site comprising of Microprocessor based 03 Nosof 36 KA 400 A 4P MCCB Microprocessor based(02 No for incoming , 01 No for bus coupler) for incoming, 05 Nosof 36KA 100 A 4P MCCB, 06 Nosof 36KA 63A 4P MCCB, 06 Nos of 36KA 40A 4P MCCB,06 Nosof 10 KA for outgoing 32A DP MCB, 01 No of timer and 40 A DP contactor and multi function meter for each feeder for outgoing including with all accessories asper specification enclosed all MCCBs upto 63A and above rated MCCBs incoming and out going to be connect with Suitable Copper Busbars only							
31	Please see Item Breakup for details.				378540.00	AT Par	378540.00	
	Description:- Supply, fixing and connecting of 120 W LED type weather proof flood lights including power LEDS complete with all accessories as per specification							
32	32	5.00	Set	24816.00	124080.00	AT Par	124080.00	

	Description:- Supply, fixing ,testing and connecting of distribution board (ETPN DB),6way metal door with 01 No of 40A 4P MCB for incoming , 06 Nos of 32 A SP MCB ,04 Nos of 16A SP MCB,01 No of 32 A DP MCB, 01 No of timer switch and 40 A DP contactors of timer switch, and 40 A DP contactor for outgoing including with all accessories as per specification enclosed.							
33	33	5.00	Set	34230.00	171150.00	AT Par	171150.00	
	Description:- Supply, fixing ,testing and connecting of distribution board (VTPNDB),4 way metal door IP 43 protection comprising of C curve 10KA 01 No of 63 A 36KA 4 pole MCCB for incoming ,03 Nso of 20 A TP MCB, SP MCB and 03 Nos 16 A SP MCB for out going including with all accessories as per specification enclosed.							
34	34	5.00	Set	43036.00	215180.00	AT Par	215180.00	
	Description:- Supply, fiixng ,testing and connecting of distribution board (VTPNDB),6 way metal door IP 43 protection comprising of C curve 10KA 01 No of 100 A 36KA 4 pole MCCB for incoming ,04 Nso of 40 A TP MCB,02 Nosof 6A SP SP MCB and 04 Nos 10 A SP MCB for outgoing including with all accessories as per specification							
35	35	5.00	Set	56738.00	283690.00	AT Par	283690.00	
	Description:- Supply, fixing ,testing and connecting of distribution board (VTPNDB),6 way metal door IP 43 protection comprising of C curve 10KA 01 No of 160 A 36KA 4 pole MCCB for incoming ,03 Nos of 63 A TP MCB,03 Nos of 40A TP MCB ,04 Nos 20 A DP MCB & 08 Nos of 10A SPL MCB for out going including with all accessories as per specification.							
36	36	8.00	Set	48732.00	389856.00	AT Par	389856.00	
	Description:- Supply, fixing ,testing and connecting of distribution board (VTPNDB),8 way metal door IP 43 protection comprising of C curve 10KA 01 No of 100 A 36KA 4 pole MCCB for incoming ,06 Nos of 32 TP MCB ,6 Nos 16 A SP MCB , for outgoing including with all accessories as per specification							
37	37	15.00	Set	5113.00	76695.00	AT Par	76695.00	
	Description:- Supply, fixing, Testing and connecting of Distribution board (SPNDB) 8 way metal door IP 43portection comprising of C curve 10 KA 01 No of 40 A DP RCBO for incoming , 06 Nos of 10 A SP MCB for outgoing including with all accessories as per specification							
38	38	5.00	Set	5697.00	28485.00	AT Par	28485.00	
	Description:- Supply, fixing, Testing and connecting of Distribution board (SPNDB) 12 way metal door IP 43portection comprising of C curve 10 KA 01 No of 40 A DP RCBO for incoming, 10 Nos of 6A SP MCB for outgoing including with all accessories as per specification							
39	39	24.00	Set	14992.00	359808.00	AT Par	359808.00	
	Description:- Supply, fixing, Testing and connecting of Distribution board (SPNDB) 12 way metal door IP 43portection comprising of C curve 10 KA 01 No of 40 A DP RCBO for incoming, 04 Nos of 32 SP MCB, and 06 Nos of 10/16 A SP MCB for outgoing including with all accessories as per specification							
40	40	16.00	Set	3522.00	56352.00	AT Par	56352.00	
	Description:- Supply and fixing of SPN DB 4Way with 1 No of 32A, 30ma DP RCBO and 1 no of 32A DP MCB (for water coolers)							
41	41	40.00	Set	4574.00	182960.00	AT Par	182960.00	
	Description:- Supply, fixing and connecting of 30 mA ,16A DP RCBO with suitable metal enclosure for control of individual room as pe specification							
42	42	60.00	RM	2390.00	143400.00	AT Par	143400.00	
	Description:- Supply, fixing, testing and connecting of Industrial plu g& socket DB with C-curve 10 Ka MCB of 1 No o f20 a DP with all accessories complete as desired by site engineer as per specification.							
43	Please see Item Breakup for details.				2300000.00	AT Par	2300000.00	

	Description:- 4301)Design, Manufacture, Display of wall /hanging / floor mounting type LED illuminated sign/ direction boards in half elliptical shape. The display sheet shall be of non breakable 040 translucent polycarbonate sheet of 2 mm thickness . The text/graphics matter visibility shall not be less than 160 deg. . The approved colour text and graphics shall be printed / router cut on monomeric calendared vinyal of 70 um thickness and shall be firmly pasted on display sheets. The mounting arrangement be hanging , all mounting, ceiling mounting, ceiling mounting, pole mounting or floor mounting arrangements and as per site requirement. The signage shall have the integral mounting arrangements mounting arrangements with standby structural frame and ACP cladding on the back side of the signage to avoiding rusting and entry of dust. The LED board shall have uniform illuminating with 4-8W/sq.ft4302) Erection and installation of wall/ hanging / floor mounting type LED illuminated sign/ direction boards in half elliptical shape. The display sheet shall be of non breakable 040 translucent poly carbonate sheet of 2mm thickness. The text/ graphics matter visibility shall not be less than 160 deg. The approved coloured text and graphics shall be printed /router cut on monomeric calendared vinyl of 70 um thickness and shall be firmly pasted on display sheets. The mounting arrangement shall be hanging, wall mounting , ceiling mounting, pole mounting or floor mounting and as per site requirement . The signage shall have the integral mounting arrangements with sturdy structural frame and ACP cladding on the back side of the signage to avoiding rusting and entry of dust. The LED board shall have uniform illuminating with 4-8W/sq.ft							
44	44	300.00	Square Foot	448.00	134400.00	AT Par	134400.00	
	Description:- Fabrication, Transportation and supply of Illuminated Double side glow sign board for Direction / Information boards made up of 1" M.S. Square Section and 22 gauge powder coated aluminium sheet on sides including internal wiring etc., 1st quality Pena flex is to be stretched on both sides of the MS frame over which Vinyl sticker lettering in Trilingual (i.e., Telugu, Hindi & English) is to be pasted, as per the specification enclosed, and as desired by site engineer.							
45	45	8.00	Numbers	8299.00	66392.00	AT Par	66392.00	
	Description:- Supply, fixing, and connecting of 2KW capacity geyser operating of 230 Volts, single phase capacity, 25 L capacity of 3 level safety capaillary thermostat, automatic thermal cut-out s & multi functional valve to provide higher safety, Anti rust with designed magnesium anode with ice prevent a corrosion due to hard water to provide higher with an warranty of 5 years							
46	Please see Item Breakup for details.				1155750.00	AT Par	1155750.00	
	Description:- 4601) supply of 300 mm ladder type cable tray with necessary fixing arrangements on girder/wall/shelters etc 4602)Labour charges for erection of 300 mm cable tray including fixing on Girder/ MS column/ Wall mounting arrangements including bolts and nuts etc							
47	47	1000.00	RM	66.00	66000.00	AT Par	66000.00	
	Description:- Supply, fixing, testing and commissioning of GI flat of size 50x6 mm with all accessories such as bolts and nuts etc complete with earthing connection.							
48	Please see Item Breakup for details.				290660.00	AT Par	290660.00	
	Description:- Provision of earthing arrangements							
49	Please see Item Breakup for details.				493032.00	AT Par	493032.00	
	Description:- 4901)Supply, fixing , installation &commissioning including transportation of 1.5 ton capacity, 5star capable of delivering of suitable and above with operating on refrigerant R-410 A/R-32 INVERTER Model coil type split AC unit with high wall mounted single split indoor unit with outdoor condensing unit, Hermetically sealed compressor suitable operating of 230 V, 50 HZ,1 phase AC supply capable of performing heat cool dehumidifying air circulating and filtering with cooling and condensing unit with 3 mtrs copper piping, insulation kit and 4 mtrs 4core proper flexible chord with cordelles remote, control etc., including suitable wall mounting brackets for fixing of outdoor unit, dual barrier coating in order to protect coil form oxidation similar make of Hitachi/O general / Mitu Bushi 4902)supply of suitable size condenser unit mounting suitable angular stands made of MS angular by 40x4 mtrs with all accessories 4903)Supply of 1/2" copper pipe 4904)Supply of 1/4" copper pipe4905)Supply of Nitrile rubber foams covered with non -adhesive wrapping tap s4906)Supply of draining arrangements (1" PVC pipe with suitable calms and bends4907)Labour charges for commissio0ning of air conditioning equipment							

3. ITEM BREAKUP

Schedule	Schedule A-Vijayawada Division - GDR-BZA section;1) Provision of General waiting Hall building on PF1 and utility cable ducts on PF 2&3 and 4&5 at TEL station in SSE/ Works/TEL sections in ADEN/ BPP sub-division under the jurisdiction of DEN/ /central /BZA 2)BZA-VSKP section:-SW-I Construction of Electrical office, parcel office, Health Unit, RPF barracks, SSE/ Works office and Renovation of Existing station Building rooms at Eluru station in SSE/ Works/EE section in ADEN/ EE sub division. SW-II Construction of 12 m wide FOB at Eluru station.3) BZA-GDR section;- Provision of Divyangjan Toilets on PF 1, 2&3, 4&5 and improvement to existing amenities at CLX station in SSE/ Works/BPP section in ADEN/ BPP sub -division under the jurisdiction of DEN/ Central/BZA 4) BZA- GDR section:- Provision of Divyangjan Toilets and General waiting Hall building on PF 2&3 and improvement to existing amenities at BPP station in SSE/ Works/ BPP section in ADEN/ BPP sub -division under the jurisdiction of DEN/Central/BZA

Item- 1	Supply of following size of LTUG cable, XLPE insulated, Cores laid up, extruded PVC type ST-2 inner sheath, galvanised steel flat strip armoured & overall extruded FRLHS PVC type ST-2 outer sheathed cables with strained Aluminium conductor generally confirming to IS: 7098 (Part-I) 1988 or its latest					
S No.	**Item No**	**Description of Item**	**Unit**	**Qty**	**Rate**	**Amount**
1	101	4 core 16 sq.mm	RM	9500.00	123.31	1171445.00
2	102	4core 25 sq.mm	RM	7000.00	169.92	1189440.00
3	103	4core 50 sq.mm	RM	1500.00	316.24	474360.00
4	104	4 core70 sq.mm	RM	2800.00	415.95	1164660.00
5	105	4core 95 sq.mm	RM	1200.00	528.64	634368.00
6	106	4core 120sq.mm	RM	1000.00	651.36	651360.00
					Total	**5285633.00**
Item- 2	Laying of LTUG cable LTUG cable, XLPE insulated, Cores laid up, extruded PVC type ST-2 inner sheath, galvanised steel flat strip armoured & overall extruded FRLHS PVC type ST-2 outer sheathed cables with strained Aluminium conductor generally confirming to IS: 7098 (Part-I) 1988 or its latest					
S No.	**Item No**	**Description of Item**	**Unit**	**Qty**	**Rate**	**Amount**
1	201	4 core 16 sq.mm	RM	9500.00	16.00	152000.00
2	202	4core 25 sq.mm	RM	7000.00	29.00	203000.00
3	203	4core 50 sq.mm	RM	1500.00	33.00	49500.00
4	204	4 core70 sq.mm	RM	2800.00	33.00	92400.00
5	205	4core 95 sq.mm	RM	1200.00	29.00	34800.00
6	206	4core 120sq.mm	RM	1000.00	70.00	70000.00
					Total	**601700.00**
Item- 6	Excavation of cable trench complete with the following and refilling as per the specification enclosed.					
S No.	**Item No**	**Description of Item**	**Unit**	**Qty**	**Rate**	**Amount**
1	601	Supply and laying of 63 mm outer diammeter (1 1/2 ") size of HDPE pipe of Grade PE-100, PN 6 (Kg/Cm2 Cap. as per IS 4984-1995 or latest, complete with all connected required accessories.	RM	4000.00	81.00	324000.00
2	602	Supply and laying of 63 mm outer diameter (2 ") size of HDPE pipe of Grade PE-100, PN 6 (Kg/Cm2 Cap. as per IS 4984-1995 or latest, complete with all connected required accessories.	RM	12300.00	110.00	1353000.00
3	603	Supply and laying of 90 mm outer diammeter (3 ") size of HDPE pipe of Grade PE-100, PN 6 (Kg/Cm2 Cap. as per IS 4984-1995 or latest, complete with all connected required accessories.	RM	1650.00	181.00	298650.00
4	604	supply of normal soil in trench work	RM	9800.00	130.00	1274000.00
5	605	Duly breaking hard concrete / bitumen top / under the track / road etc.	RM	2100.00	348.00	730800.00
					Total	**3980450.00**
Item- 13	Supply, fixing, testing and connecting of 36 to 40 W LED panel light fitting 2'x2" square type white with other connected accessories as specification					
S No.	**Item No**	**Description of Item**	**Unit**	**Qty**	**Rate**	**Amount**
1	1301	supply	Numbers	200.00	2590.00	518000.00
2	1302	Erection	Numbers	200.00	163.00	32600.00
					Total	**550600.00**
Item- 21	Supply and fixing of Ivory coloured Polycarbonate Modular plate with Polycarbonate surface box / Metal surface box / Metal flush box (for concealed)with all accessories complete, for the following as per specification					
S No.	**Item No**	**Description of Item**	**Unit**	**Qty**	**Rate**	**Amount**
1	2101	3 way modular board	Numbers	300.00	126.00	37800.00

2	2102	4 way modular board	Numbers	50.00	210.00	10500.00
3	2103	6 way -Modular board	Numbers	275.00	240.00	66000.00
4	2104	9 way - Modular board	Numbers	220.00	398.00	87560.00
5	2105	12- way Modular board	Numbers	40.00	860.00	34400.00
					Total	**236260.00**

Item- 22	Supply, fixing and connecting of modular switch & socket as per specification					
S No.	**Item No**	**Description of Item**	**Unit**	**Qty**	**Rate**	**Amount**
1	2201	2/3 pin 6A capacity	Numbers	100.00	177.00	17700.00
2	2202	5 pin 16A capacity	Numbers	40.00	278.00	11120.00
					Total	**28820.00**

Item- 23	Provision of BLDC fans					
S No.	**Item No**	**Description of Item**	**Unit**	**Qty**	**Rate**	**Amount**
1	2301	Provision of supply of BLDC fans 1200 mm sweep 28 watts with all accessories as per specification	Numbers	200.00	2295.00	459000.00
2	2302	Fixing and connecting of BLDC 1200 mm sweep 28 watt with all accessories	Numbers	200.00	45.00	9000.00
					Total	**468000.00**

Item- 26	Supply, erection and commissioning of 06 mtrs long dip galvanized octagonal pole with 130 mm bottom A/F & 70 mm top A/F made up of 3mm thick HT sheet along with base plate of size 200x200x12 mm, M16x600 long 'J' type EN 8 grade foundation bolts., 1000 mm long single/double arm bracket (as per site requirement) with concrete foundation and plinth in hard soil including excavation of soil, tamping of concrete grouting with Bakelite sheet and MCB(for mounting inside the base compartment of pole) with all accessories.					
S No.	**Item No**	**Description of Item**	**Unit**	**Qty**	**Rate**	**Amount**
1	2601	Supply	Numbers	40.00	10536.00	421440.00
2	2602	Erection	Set	40.00	6185.00	247400.00
					Total	**668840.00**

Item- 31	Supply, fixing and connecting of 120 W LED type weather proof flood lights including power LEDS complete with all accessories as per specification					
S No.	**Item No**	**Description of Item**	**Unit**	**Qty**	**Rate**	**Amount**
1	3101	Supply	Numbers	60.00	5985.00	359100.00
2	3102	Fixing, testing and connecting of LED flood light fitting with suitable MS clamps by 40x5 mm size with bolts and nuts etc as per site conditions. The fitting fixing with proper clamping arrangements on wall/ Terrace/columns/ Post as desired by the site engineer as per specification	Numbers	60.00	324.00	19440.00
					Total	**378540.00**

Item- 43	4301)Design, Manufacture, Display of wall /hanging / floor mounting type LED illuminated sign/ direction boards in half elliptical shape. The display sheet shall be of non breakable 040 translucent polycarbonate sheet of 2 mm thickness . The text/graphics matter visibility shall not be less than 160 deg. . The approved colour text and graphics shall be printed / router cut on monomeric calendared vinyal of 70 um thickness and shall be firmly pasted on display sheets. The mounting arrangement be hanging , all mounting, ceiling mounting, ceiling mounting, pole mounting or floor mounting arrangements and as per site requirement. The signage shall have the integral mounting arrangements mounting arrangements with standby structural frame and ACP cladding on the back side of the signage to avoiding rusting and entry of dust. The LED board shall have uniform illuminating with 4-8W/sq.ft4302) Erection and installation of wall/ hanging / floor mounting type LED illuminated sign/ direction boards in half elliptical shape. The display sheet shall be of non breakable 040 translucent poly carbonate sheet of 2mm thickness. The text/ graphics matter visibility shall not be less than 160 deg. The approved coloured text and graphics shall be printed /router cut on monomeric calendared vinyl of 70 um thickness and shall be firmly pasted on display sheets. The mounting arrangement shall be hanging, wall mounting , ceiling mounting, pole mounting or floor mounting and as per site requirement . The signage shall have the integral mounting arrangements with sturdy structural frame and ACP cladding on the back side of the signage to avoiding rusting and entry of dust. The LED board shall have uniform illuminating with 4-8W/sq.ft					
S No.	**Item No**	**Description of Item**	**Unit**	**Qty**	**Rate**	**Amount**

1	4301	Design, Manufacture, Display of wall /hanging / floor mounting type LED illuminated sign/ direction boards in half elliptical shape. The display sheet shall be of non breakable 040 translucent polycarbonate sheet of 2 mm thickness . The text/graphics matter visibility shall not be less than 160 deg. . The approved colour text and graphics shall be printed / router cut on monomeric calendared vinyal of 70 um thickness and shall be firmly pasted on display sheets. The mounting arrangement be hanging , all mounting, ceiling mounting, ceiling mounting, pole mounting or floor mounting arrangements and as per site requirement. The signage shall have the integral mounting arrangements mounting arrangements with standby structural frame and ACP cladding on the back side of the signage to avoiding rusting and entry of dust. The LED board shall have uniform illuminating with 4-8W/sq.ft	Square Foot	800.00	2613.00	2090400.00
2	4302	Erection and installation of wall/ hanging / floor mounting type LED illuminated sign/ direction boards in half elliptical shape. The display sheet shall be of non breakable 040 translucent poly carbonate sheet of 2mm thickness. The text/ graphics matter visibility shall not be less than 160 deg. The approved coloured text and graphics shall be printed /router cut on monomeric calendared vinyl of 70 um thickness and shall be firmly pasted on display sheets. The mounting arrangement shall be hanging, wall mounting , ceiling mounting, pole mounting or floor mounting and as per site requirement . The signage shall have the integral mounting arrangements with sturdy structural frame and ACP cladding on the back side of the signage to avoiding rusting and entry of dust. The LED board shall have uniform illuminating with 4-8W/sq.ft	Square Foot	800.00	262.00	209600.00
					Total	**2300000.00**

Item- 46	4601) supply of 300 mm ladder type cable tray with necessary fixing arrangements on girder/wall/shelters etc 4602)Labour charges for erection of 300 mm cable tray including fixing on Girder/ MS column/ Wall mounting arrangements including bolts and nuts etc					
S No.	**Item No**	**Description of Item**	**Unit**	**Qty**	**Rate**	**Amount**
1	4601	supply of 300 mm ladder type cable tray with necessary fixing arrangements on girder/wall/shelters etc	RM	1150.00	730.00	839500.00
2	4602	Labour charges for erection of 300 mm cable tray including fixing on Girder/ MS column/ Wall mounting arrangements including bolts and nuts etc	RM	1150.00	275.00	316250.00
					Total	**1155750.00**

Item- 48	Provision of earthing arrangements					
S No.	**Item No**	**Description of Item**	**Unit**	**Qty**	**Rate**	**Amount**
1	4801	Excavation of earth for one pit in any soil and refilling as per RDSO Drg.NoEti? OHE/7021 (MOD.F).	Numbers	76.00	301.86	22941.36
2	4802	supply and erection of "B'class GI pipe dia 50mm, 3.1 mtrs length with 3.65 mm thickness including GI socket and nuts (3.1 mtrs x@ Rs.438=1358) including drilling of 12 mm holes as per RDSO DRg No. ETI/OHE//7021 (MOD.A) or flat any latest. Each electrode shallbe procured from CORE approved sources on RLY. List of CORE approved sources is enclosed as annexur -COE	Numbers	76.00	1694.92	128813.92

3	4803	Supply and erection of Charcoal	Kg	3420.00	10.25	35055.00
4	4804	Supply and erection of Salt	Kg	2660.00	9.11	24232.60
5	4805	Supply and erection of pre fabricated RCC of size 0.55m X 0.55M(550mm) with wall thickness of 0.125m(125mm) with height 0.3m (300mm) along with RCC(1:4:8) cover with .04m thickness(40mm) and funnel with ire mesh.	Each	76.00	797.37	60600.12
6	4806	Supply, laying and connecting of 8 SWG GI Flat with 40GSM Zink coated, conforming to IS:280-2006 or latest, it is to be laid & connected from e q u i p m e t t o earth electrode for continuity.124Rmt13.671695.08	RM	124.00	13.67	1695.08
7	4807	Transportation charges including loading & unloading of earthing arrangements	Lumpsum	76.00	227.92	17321.92
					Total	**290660.00**

Item- 49	4901)Supply, fixing , installation &commissioning including transportation of 1.5 ton capacity, 5star capable of delivering of suitable and above with operating on refrigerant R-410 A/R-32 INVERTER Model coil type split AC unit with high wall mounted single split indoor unit with outdoor condensing unit, Hermetically sealed compressor suitable operating of 230 V, 50 HZ,1 phase AC supply capable of performing heat cool dehumidifying air circulating and filtering with cooling and condensing unit with 3 mtrs copper piping, insulation kit and 4 mtrs 4core proper flexible chord with cordelles remote, control etc., including suitable wall mounting brackets for fixing of outdoor unit, dual barrier coating in order to protect coil form oxidation similar make of Hitachi/O general / Mitu Bushi 4902)supply of suitable size condenser unit mounting suitable angular stands made of MS angular by 40x4 mtrs with all accessories 4903)Supply of 1/2" copper pipe 4904)Supply of 1/4" copper pipe4905)Supply of Nitrile rubber foams covered with non -adhesive wrapping tap s4906)Supply of draining arrangements (1" PVC pipe with suitable calms and bends4907)Labour charges for commissio0ning of air conditioning equipment

S No.	Item No	Description of Item	Unit	Qty	Rate	Amount
1	4901	Supply, fixing , installation &commissioning including transportation of 1.5 ton capacity, 5star capable of delivering of suitable and above with operating on refrigerant R-410 A/R-32 INVERTER Model coil type split AC unit with high wall mounted single split indoor unit with outdoor condensing unit, Hermetically sealed compressor suitable operating of 230 V, 50 HZ,1 phase AC supply capable of performing heat cool dehumidifying air circulating and filtering with cooling and condensing unit with 3 mtrs copper piping, insulation kit and 4 mtrs 4core proper flexible chord with cordelles remote, control etc., including suitable wall mounting brackets for fixing of outdoor unit, dual barrier coating in order to protect coil form oxidation similar make of Hitachi/O general / Mitu Bushi	Numbers	8.00	52000.00	416000.00
2	4902	supply of suitable size condenser unit mounting suitable angular stands made of MS angular by 40x4 mtrs with all accessories	Numbers	8.00	500.00	4000.00
3	4903	Supply of 1/2" copper pipe	RM	72.00	360.00	25920.00
4	4904	Supply of 1/4" copper pipe	RM	72.00	300.00	21600.00
5	4905	Supply of Nitrile rubber foams covered with non -adhesive wrapping tap s	RM	72.00	146.00	10512.00
6	4906	Supply of draining arrangements (1" PVC pipe with suitable calms and bends	RM	40.00	275.00	11000.00
7	4907	Labour charges for commissioning of air conditioning equipment	Numbers	8.00	500.00	4000.00
					Total	**493032.00**

4. ELIGIBILITY CONDITIONS

Special Financial Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading

1	Financial Eligibility Criteria: The tenderer must have minimum average annual contractual turnover of V/N or 'V' whichever is less; where V= Advertised value of the tender in crores of Rupees N= Number of years prescribed for completion of work for which bids have been invited. The average annual contractual turnover shall be calculated as an average of "total contractual payments" in the previous three financial years, as per the audited balance sheet. However, in case balance sheet of the previous year is yet to be prepared/ audited, the audited balance sheet of the fourth previous year shall be considered for calculating average annual contractual turnover. The tenderers shall submit requisite information as per Annexure-F, along with copies of Audited Balance Sheets duly certified by the Chartered Accountant/ Certificate from Chartered Accountant duly supported by Audited Balance Sheet.	No	No	Allowed (Mandatory)

Special Technical Criteria

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	Technical Eligibility Criteria: APPLICABLE As per GCC-April -2022 (a) The tenderer must have successfully completed or substantially completed any one of the following categories of work(s) during last 07 (seven) years, ending last day of month previous to the one in which tender is invited: (i)Three similar works each costing not less than the amount equal to 30% of advertised value of the tender, or (ii)Two similar works each costing not less than the amount equal to 40% of advertised value of the tender, or (iii)One similar work each costing not less than the amount equal to 60% of advertised value of the tender. Note (As per GCC -April-2022): Work experience certificate from private individual shall not be considered. However, in addition to work experience certificates issued by any Govt. Organisation, work experience certificate issued by Public listed company having average annual turnover of Rs 500 crore and above in last 3 financial years excluding the current financial year, listed on National Stock Exchange or Bombay Stock Exchange, incorporated/registered at least 5 years prior to the date of closing of tender, shall also be considered provided the work experience certificate has been issued by a person authorized by the Public listed company to issue such certificates. In case tenderer submits work experience certificate issued by public listed company, the tenderer shall also submit along with work experience certificate, the relevant copy of work order, bill of quantities, bill wise details of payment received duly certified by Chartered Accountant, TDS certificates for all payments received and copy of final/last bill paid by company in support of above work experience certificate.	No	No	Allowed (Mandatory)
2	The tenderer who fulfils the following ELIGIBILITY CRITERIA are eligible to quote: Electrical License: "The tenderer shall possess a valid Electrical Contractor License, issued by any State Government or Union Territory Administration, authorizing execution of electrical works up to 650V. The contractor shall have in his employment or shall engage a person holding a valid certificate of competency issued by any State Government or Union Territory Administration for supervision of electrical works up to 650 V.Offers not accompanied by a valid Electrical Contractor License and requisite Supervisor competency for works up to 650V shall be summarily rejected.	No	No	Allowed (Mandatory)
3	Clarification on "Similar Nature of Work" and details to be furnished along with the Tender documents:"Supply,installation, testing and commissioning of LT/HT electrical GSassets ORSupply, Installation, testing and commissioning of electrification or rewiring of building/ workshop OR Supply, Installation, testing and commissioning of Yard/ circulating area/street lighting /tunnel/facade lighting OR Supply, Installation, testing and commissioning of high mast lighting OR Supply, Installation, testing and commissioning of glow signages OR Supply, installation, testing and commissioning of LT/HT electrical GS sub-station with at least 50% capacity of proposed sub-station OR Repair/ overhauling of LT/ HT electrical GS assets including LT/HT sub-stations.	No	No	Allowed (Mandatory)

Bidders shall confirm and certify on the behalf of the tenderer including its constituents as under:

S.No.	Description
1	I/we the tenderer (s) am/are signing this document after carefully reading the contents.

2	I/We the tenderer(s) also accept all the conditions of the tender and have signed all the pages in confirmation thereof.
3	I/we hereby declare that I/we have downloaded the tender documents from Indian Railway website www.ireps.gov.in . I/we have verified the content of the document from the website and there is no addition, no deletion or no alteration to the content of the tender document. In case of any discrepancy noticed at any stage i.e. evaluation of tenders, execution of work or final payment of the contract, the master copy available with the railway Administration shall be final and binding upon me/us.
4	I/we declare and certify that I/we have not made any misleading or false representation in the forms, statements and attachments in proof of the qualification requirements.
5	I/We also understand that my/our offer will be evaluated based on the documents/credentials submitted along with the offer and same shall be binding upon me/us.
6	I/We declare that the information and documents submitted along with the tender by me/us are correct and I/we are fully responsible for the correctness of the information and documents, submitted by us.
7	I/we certify that I/we the tenderer(s) is/are not blacklisted or debarred by Railways or any other Ministry / Department of Govt. of India from participation in tender on the date of submission of bids, either in individual capacity or as a HUF/ member of the partnership firm/LLP/JV/Society/Trust.
8	I/we understand that if the contents of the certificate submitted by us are found to be forged/false at any time during process for evaluation of tenders, it shall lead to forfeiture of the Bid Security and may also lead to any other action provided in the contract including banning of business for a period of upto two year. Further, I/we and all my/our constituents understand that my/our offer shall be summarily rejected.
9	I/we also understand that if the contents of the certificate submitted by us are found to be false/forged at any time after the award of the contract, it will lead to termination of the contract, along with forfeiture of Bid Security/Security Deposit and Performance guarantee and may also lead to any other action provided in the contract including banning of business for a period of upto two year.
10	I/We have read the clause regarding restriction on procurement from a bidder of a country which shares a land border with India and certify that I am/We are not from such a country or, if from such a country, have been registered with the competent Authority. I/We hereby certify that I/we fulfil all the requirements in this regard and am/are eligible to be considered (evidence of valid registration by the competent authority is enclosed)

Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.

S.No.	Description
1	**Partnership firm/Joint Venture (JV) / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc.** Please submit a certificate in the prescribed format (please download the format from the link given below). Non submission of the certificate, or submission of certificate either not properly filled in, or in a format other than the prescribed format shall lead to summary rejection of your offer. **(Click here** to download the Format of Self Certification)

5. COMPLIANCE

Commercial-Compliance

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading

1	Tenderer Credentials: Documents testifying tenderer previous experience and financial status should be produced along with the tender. Tenderer(s) who is / are not borne on the approved list of the Contractors of _____ Railway shall submit along with his / their tender: (i)Certificates and testimonials regarding contracting experience for the type of job for which tender is invited with list of works carried out in the past. (ii)Audited Balance Sheet duly certified by the Chartered Accountant regarding contractual payments received in the past. (iii)The list of personnel / organization on hand and proposed to be engaged for the tendered work. Similarly list of Plant & Machinery available on hand and proposed to be inducted and hired for the tendered work. (iv)A copy of certificate stating that they are not liable to be disqualified and all their statements/documents submitted along with bid are true and factual. Standard format of the certificate to be submitted by the bidder is enclosed as Annexure-I. In addition to this, in case of other than company/propriety firm, Annexure -I(A) shall also be submitted by the each member of a partnership Firm / joint Venture (JV) / Hindu Undivided Family (HUF) /Limited Liability partnership (LLP) etc. as the case may be. Non submission of a copy of certificate by the bidder shall result in summarily rejection of his/their bid. It shall be mandatorily incumbent upon the tenderer to identify, state and submit the supporting documents duly self-attested /digitally signed by which they/he are/is qualifying the qualifying criteria mentioned in the Tender Document. (Authority: ACS No.2 to Indian Railway Standard General Conditions of Contract, April-2022 Vide Para C RB letter No. 2022/CE-I/CT/GCC-2022/Policy, Dt.13.12.2022) (v)The Railway reserves the right to verify all statements, information and documents submitted by the bidder in his tender offer, and the bidder shall, when so required by the Railway, make available all such information, evidence and documents as may be necessary for such verification. Any such verification or lack of such verification, by the Railway shall not relieve the bidder of its obligations or liabilities hereunder nor will it affect any rights of the Railway there under. (vi) (a) In case of any information submitted by tenderer is found to be false, forged or incorrect at any time during process for evaluation of tenders, it shall lead to forfeiture of the tender Bid Security besides banning of business for a period of upto TWO years. (b) In case of any information submitted by tenderer is found to be false, forged or incorrect after the award of contract, the contract shall be terminated. Bid Security, Security Deposit available with the railway shall be forfeited. In addition, other dues of the contractor, if any, under this contract shall be forfeited and agency shall be banned for doing business for a period of upto TWO years. (Authority: ACS No.3 to Indian Railway Standard General Conditions of Contract, April-2022 Vide Para C RB letter No. 2022/CE-I/CT/GCC-2022/Policy, Dt.26.04.2023) 12.0 Non-compliance with any of the conditions set forth therein above is liable to result in the tender being rejected.	No	No	Not Allowed
2	Please enter the percentage of local content in the material being offered. Please enter 0 for fully imported items, and 100 for fully indigenous items. The definition and calculation of local content shall be in accordance with the Make in India policy as incorporated in the tender conditions.	No	Yes	Allowed (Optional)

Technical-Compliances

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading

1	Documents to be submitted Along with Tender: (i) The tenderer shall clearly specify whether the tender is submitted on his own (Proprietary Firm) or on behalf of a Partnership Firm / Company / Joint Venture (JV) / Registered Society / Registered Trust / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. The tenderer(s) shall enclose the attested copies of the constitution of their concern, and copy of PAN Card along with their tender. Tender Documents in such cases are to be signed by such persons as may be legally competent to sign them on behalf of the firm, company, association, trust or society, as the case may be. Following documents shall be submitted by the tenderer: The tenderers shall submit a copy of certificate stating that all their statements/documents submitted along with bid are true and factual. Standard format of certificate to be submitted by the bidder is enclosed as Annexure-I. In addition to Annexure -I, In case of other than company/proprietary firm Annexure -IA shall also be submitted by the each member of a partnership firm/Joint Venture(JV)/ Hindu undivided family (HUF)/Limited liability partnership (LLP) etc., as the case may be. Non submission of above certificate(S) by the tenderer shall result in Summarily rejection of his/their bid. It shall be mandatorily incumbent upon the tenderer to identify, state and submit the supporting documents duly self attested/digitally signed by which they/he is qualifying the qualifying mentioned in the tender document. a)Sole Proprietorship Firm: i)All other documents in terms para 10 of the tender form (Second Sheet) above. b)HUF: i)A copy of notarized affidavit on Stamp Paper declaring that he who is submitting the tender on behalf of HUF is in the position of 'Karta' of Hindu Undivided Family (HUF) and he has the authority, power and consent given by other members to act on behalf of HUF. ii)All other documents in terms para 10 of the tender form (Second Sheet) above.	No	No	Allowed (Mandatory)

2	a)Sole Proprietorship Firm: i)All other documents in terms para 10 of the tender form (Second Sheet) above. b)HUF: i)A copy of notarized affidavit on Stamp Paper declaring that he who is submitting the tender on behalf of HUF is in the position of 'Karta' of Hindu Undivided Family (HUF) and he has the authority, power and consent given by other members to act on behalf of HUF. ii)All other documents in terms para 10 of the tender form (Second Sheet) above. c)Partnership Firm: i)The tenderer shall submit documents as mentioned in para 18 of the Tender Form (Second Sheet) of IRGCC, April 2022. d)Joint Venture (JV): All the documents as mentioned in para 17 of the Tender Form (Second Sheet) of IRGCC, April 2022. e)Company registered under Companies Act 2013: i)The copies of MOA (Memorandum of Association) / AOA (Articles of Association) of the company ii)A copy of Certificate of Incorporation iii)A copy of Authorization/Power of Attorney issued by the Company (backed by the resolution of Board of Directors) in favour of the individual to sign the tender on behalf of the company and create liability against the company. iv)All other documents in terms para 10 of the tender form (Second Sheet) above. f)LLP (Limited Liability Partnership): If the tender is submitted on behalf of a LLP registered under LLP Act-2008, the tenderer shall submit along with the tender: i)A copy of LLP Agreement ii)A copy of Certificate of Incorporation iii) A copy of Power of Attorney/Authorization issued by the LLP in favour of the individual to sign the tender on behalf of the LLP and create liability against the LLP. iv) An undertaking by all partners of the LLP that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation in tenders / contracts as on the date of submission of bids, either in their individual capacity or in any firm/LLP or JV in which they were / are partners/members. Concealment / wrong information in regard to above shall make the contract liable for determination under Clause 62 of the Standard General Conditions of Contract. v)A copy of certificate stating that they are not liable to be disqualified and all their statements/documents submitted along with bid are true and factual. Standard format of the certificate to be submitted by the tenderer is enclosed as Annexure-I. in addition to Annexure -I in case of other than company/propriety firm, Annexure -I(A) shall be submitted by the each member of a partnership firm/Joint venture(JV)/Hindu undivided family(HUF)/ Limited liability partnership (LLP) etc., as the case may be . non submission of a copy of certificate by the tenderer shall result in summarily rejection of his/their bid. It shall be mandatorily incumbent upon the tenderer too identify, state and submit the supporting documents duly self attested/digitally signed by which they/he are/is qualifying the qualifying criteria mentioned in the tender document. vi)All other documents in terms para 10 of the tender form (Second Sheet) above.	No	No	Allowed (Mandatory)

3	g)Registered Society & Registered Trust: The tenderer shall submit: i)A copy of the Certificate of Registration ii)A copy of Memorandum of Association of Society/Trust Deed iii)A copy of Power of Attorney in favour of the individual to sign the tender documents and create liability against the Society/Trust. iv)A copy of Rules & Regulations of the Society. v)All other documents in terms para 10 of the tender form (Second Sheet) above. (iii) If it is NOT mentioned in the submitted tender that tender is being submitted on behalf of a Sole Proprietorship firm / Partnership firm / Joint Venture / Registered Company etc., then the tender shall be treated as having been submitted by the individual who has signed the tender. (iv)After opening of the tender, any document pertaining to the constitution of Sole Proprietorship Firm/Partnership Firm/Registered Company/Registered Trust/Registered Society/HUF/LLP etc. shall be neither asked nor considered, if submitted. Further, no suomoto cognizance of any document available in public domain (i.e. on internet etc.) or in Railway's record/office files etc. will be taken for consideration of the tender, if no such mention is available in tender offer submitted. (v)A tender from JV / Partnership firm etc. shall be considered only where permissible as per the tender conditions. (vi)The Railway will not be bound by any change of power of attorney or in the composition of the firm made subsequent to the submission of tender. Railway may, however, recognize such power of attorney and changes after obtaining proper legal advice, the cost of which will be chargeable to the Contractor.	No	No	Allowed (Mandatory)
4	The tenderer whether sole proprietor / a company or a partnership firm / registered society / registered trust / HUF / LLP etc if they want to act through agent or individual partner(s), should submit along with the tender, a copy of power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, specifically authorizing him/them to sign the tender, submit the tender and further to deal with the Tender/ Contract up to the stage of signing the agreement except in case where such specific person is authorized for above purposes through a provision made in the partnership deed / Memorandum of Understanding / Article of Association /Board resolution, failing which tender shall be summarily rejected. A separate power of attorney duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, shall be submitted after award of work, specifically authorizing him/them to deal with all other contractual activities subsequent to signing of agreement, if required. Note: A Power of Attorney executed and issued overseas, the document will also have to be legalized by the Indian Embassy and notarized in the jurisdiction where the Power of Attorney is being issued. However, the Power of Attorney provided by Bidders from countries that have signed the Hague Legislation Convention 1961 are not required to be legalized by the Indian Embassy if it carries a conforming Appostille certificate. (Authority: ACS No.3 to Indian Railway Standard General Conditions of Contract, April-2022 Vide Para C RB letter No. 2022/CE-I/CT/GCC-2022/Policy, Dt.26.04.2023)	No	No	Allowed (Mandatory)

5	Participation of Partnership Firms in works tenders: (i) The Partnership Firms participating in the tender should be legally valid under the provisions of the Indian Partnership Act. (ii) The partnership firm should have been in existence or should have been formed prior to submission of tender. Partnership firm should have either been registered with the Registrar or the partnership deed should have been notarized prior to date of tender opening as per the Indian Partnership Act. prior to submission of tender. (iii) Separate identity/name should be given to the partnership firm. The partnership firm should have PAN / TAN number in its own name and PAN / TAN number in the name of any of the constituent partners shall not be considered. The valid constituents of the firm shall be called partners. (iv) Once the tender has been submitted, the constitution of the firm shall not normally be allowed to be modified /altered/terminated during the validity of the tender as well as the currency of the contract except when modification becomes inevitable due to succession laws etc., in which case prior permission should be taken from Railway and in any case the minimum eligibility criteria should not get vitiated. The re-constitution of firm in such cases should be followed by a notary certified Supplementary Deed. The approval for change of constitution of the firm, in any case, shall be at the sole discretion of the Railways and the tenderer shall have no claims what-so-ever. Any change in the constitution of Partnership firm after submission of tender shall be with the consent of all partners and with the signatures of all partners as that in the Partnership Deed. Failure to observe this requirement shall render the offer invalid and full Bid Security shall be forfeited. If any Partner/s withdraws from the firm after submission of the tender and before the award of the contract, the offer shall be rejected and Bid Security of the tenderer will be forfeited. If any new partner joins the firm after submission of tender but prior to award of contract, his / her credentials shall not qualify for consideration towards eligibility criteria either individually or in proportion to his share in the previous firm. In case the tenderer fails to inform Railway beforehand about any such changes / modification in the constitution which is inevitable due to succession laws etc. and the contract is awarded to such firm, then it will be considered a breach of the contract conditions liable for determination of the contract under Clause 62 of the standard General Conditions of Contract. (v) A partner of the firm shall not be permitted to participate either in his individual capacity or as a partner of any other firm in the same tender. (vi) The tender form shall be submitted only in the name of partnership firm. The Bid Security shall be submitted by partnership firm. The Bid Security submitted in the name of any individual partner or in the name of authorized partner (s) shall not be considered.	No	No	Allowed (Mandatory)

6	(vii) On issue of Letter of Acceptance (LOA) to the partnership firm, all the guarantees like Performance Guarantee, Guarantee for various Advances to the Contractor shall be submitted only in the name of the partnership firm and no splitting of guarantees among the partners shall be acceptable. (viii) On issue of Letter of Acceptance (LOA), contract agreement with partnership firm shall be executed in the name of the firm only and not in the name of any individual partner. (ix) In case the Letter of Acceptance (LOA) is issued to a partnership firm, the following undertakings shall be furnished by all the partners through a notarized affidavit, before signing of contract agreement. a) Joint and several liabilities: The partners of the firm to which the Letter of Acceptance (LOA) is issued, shall be jointly and severally liable to the Railway for execution of the contract in accordance with General and Special Conditions of the Contract. The partners shall also be liable jointly and severally for the loss, damages caused to the Railway during the course of execution of the contract or due to non-execution of the contract or part thereof. b) Duration of the partnership deed and partnership firm agreement: The partnership deed/partnership firm agreement shall normally not be modified/altered/ terminated during the currency of contract and the maintenance period after the work is completed as contemplated in the conditions of the contract. Any change carried out by partners in the constitution of the firm without permission of Railway, shall constitute a breach of the contract, liable for determination of the contract under Clause 62 of the Standard General Conditions of Contract. c) Governing laws: The partnership firm agreement shall in all respect be governed by and interpreted in accordance with the Indian laws. d) No partner of the firm shall have the right to assign or transfer the interest right or liability in the contract without the written consent of the other partner/s and that of the Railway. (x) The tenderer shall clearly specify that the tender is submitted on behalf of a partnership firm. The following documents shall be submitted by the partnership firm, with the tender: a)A notarized copy of partnership deed or a copy of the partnership deep registered with the register. b)A notarized or registered copy of Power of Attorney in favour of the individual to tender for the work, sign the agreement etc. and create liability against the firm. c)An undertaking by all partners of the partnership firm that they are not blacklisted or debarred by Railways or any other Ministry / Department of the Govt. of India from participation in tenders / contracts as on the date of submission of bids, either in their individual capacity or in any firm/LLP in which they were / are partners/members. Any concealment /wrong information in regard to above shall make the contract liable for determination under Clause 62 of the standard General Conditions of Contract. d)All other documents in terms para 10 of the tender form (Second sheet).	No	No	Allowed (Mandatory)

7	The Bid Security / EMD shall be deposited either in cash through e-payment gateway or submitted as Bank Guarantee bond from a scheduled commercial bank of India or as mentioned in tender documents. The Bank Guarantee bond shall be as per Annexure-O and shall be valid for a period of 90 days beyond the bid validity period. 5.3 In case, submission of Bid Security in the form of Bank Guarantee, following shall be ensured: (i)A scanned copy of the Bank Guarantee shall be uploaded on e-Procurement Portal (IREPS) while applying to the tender. (ii)"The original Bank Guarantee should be delivered in person to the official nominated as indicated in the tender document before closing date for submission of bids. (i.e., Excluding the last date of submission of Bids)." BG submitted on closing day of bid will not be accepted." (iii)Non submission of scanned copy of Bank Guarantee with the bid on e-tendering portal (IREPS) and/or non-submission of original Bank Guarantee within the specified period shall lead to summary rejection of bid. (iv) The Tender Security shall remain valid for a period of 90 days beyond the validity period for the Tender. (v)The details of the BG, physically submitted should match with the details available in the scanned copy and the data entered during bid submission time, failing which the bid will be rejected (vi)The Bank Guarantee shall be placed in an envelope, which shall be sealed. The envelope shall clearly bear the identification "Bid for the ---------- Project" and shall clearly indicate the name and address of the Bidder. In addition, the Bid Due Date should be indicated on the right hand top corner of the envelope. (vii)The envelope shall be addressed to the officer and address as mentioned in the tender document. (viii)If the envelope is not sealed and marked as instructed above, the Railway assumes no responsibility for the misplacement or premature opening of the contents of the Bid submitted and consequent losses, if any, suffered by the Bidder.	No	No	Allowed (Mandatory)
8	List of personnel organizations available on hand and proposed to be engaged for the subject work. These two lists should be given separately and signed by Tenderer and are to be submitted in the Proforma given in the Annexure-'A'	No	No	Allowed (Optional)
9	List of Plant & Machinery available on hand (own) and proposed to be inducted (own and hired to be given separately) for the subject work and this list shall be 3 signed by the Tenderer and is to be submitted in the Proforma given in the Annexure 'B'	No	No	Allowed (Optional)
10	List of completed works in the last three Financial Years giving description of work, 4 organization for whom executed, approximate value of contract at the time of award, date of award and date of scheduled completion of work, date of actual start, actual completion and final value of contract should also be given in the Annexure 'C'	No	No	Allowed (Optional)
11	List of Works on Hand indicating name of work, contract value, bill amount paid so far, due date of completion etc. to be furnished by Tenderer in Annexure 'D' and this Certificate is to be signed by Tenderer.	No	No	Allowed (Optional)
12	Tenderer should submit work experience certificate in Annexure'E' , signed by an officer not below the rank of JA Grade or bill passing officer in Railways and Bill passing Officer/Executive in-charge of the work in other Government Department/Govt. bodies/Public sectors under taking to establisn his eligibility criteria. The certificate should contain the details regarding Name of work; Agreement No and Date; Name of Agency: Agreement value in Rupees (amount in words and figures); Due date and actual date of completion; Value of Final Bill passed (amount in words and figures); Performance of the Contractor, Signature, Name, Designation and Seal of the issuing Officer. (Bidder who do not enclose the Experience Certificate, his/their bid shall be summarily rejected) Note: Applicable for the tender floated value above 50 lakhs.	No	No	Allowed (Mandatory)
13	Tenderer should submit Annual Contractual Turnover Certificate Annexure 'VI B' as per para 10.2 part 1 of GCC (Bidder who do not enclose the Turnover Certificate, his/their bid shall be summarily rejected)Note: Applicable for the tender floated value above 50 lakhs.	No	No	Allowed (Mandatory)

Custom

S.No.	Description	Confirmation Required	Remarks Allowed	Documents Uploading
1	The tenderer shall clearly specify whether the tender is submitted on his own (Proprietary Firm) or on behalf of a Partnership Firm / Company / Joint Venture (JV) / Registered Society / Registered Trust / Hindu Undivided Family (HUF) / Limited Liability Partnership (LLP) etc. The tenderer(s) shall enclose the attested copies of the constitution of their concem, and copy of PAN Card along with their tender. Tender Documents in such cases are to be signed by such persons as may be legally competent to sign them on behalf of the firm, company, association, trust or society, as the case may be. Note: Please read carefully (Provision of Para 14 of GCC) the document required to be uploaded here.	No	No	Allowed (Mandatory)
2	Any other information / Certificates / General Power of Attomey required as per Tender for Partnership Firms, Company:The tenderer whether sole proprietor / a company or a partnership firm/registered society/registered trust / HUF/LLP etc if they want to act through agent or individual partner(s), should submit along with the tender, a copy of power of attomey duly stamped and authenticated by a Notary Public or by Magistrate in favour of the specific person whether he/they be partner(s) of the firm or any other person, specifically authorizing him/them to sign the tender, submit the tender and further to deal with the Tender/ Contract up to the stage of signing the agreement except in case where such specific person is authorized for above purposes through a provision made in the partnership deed / Memorandum of Understanding Article of Association /Board resolution, failing which tender shall be summarily rejected. Note: Please read carefully (Provision of Para 15 of GCC) the document required to be uploaded here.	No	No	Allowed (Mandatory)

6. Documents attached with tender

S.No.	Document Name	Document Description
1	Tenderdocument.pdf	Tender document

This tender complies with Public Procurement Policy (Make in India) Order 2017, dated 15/06/2017, issued by Department of Industrial Promotion and Policy, Ministry of Commerce, circulated vide Railway Board letter no. 2015/RS(G)/779/5 dated 03/08/2017 and 27/12/2017 and amendments/ revisions thereof.

As a Tender Inviting Authority, the undersigned has ensured that the issue of this tender does not violate provisions of GFR regarding procurement through GeM.

Signed By: THOTA SURESH BABU

Designation : Sr.DEE/E/M/BZA